

Amendments to the claims:

This listing of claims replaces all prior versions, and listings, of claims in the application.

Listing of claims:

- 1 (currently amended): A moisture-curing one-pack urethane adhesive composition comprising
- a) an isocyanate group-terminated urethane prepolymer, ~~as a main component, and (1)~~
 - b) a hexamethylene diisocyanate derivative selected from the group consisting of a biuret derivative, an isocyanurate derivative, and a trimethylolpropane derivative,
 - c) a silane coupling agent and/or a polyisocyanate derivative of a silane coupling agent, as an adhesive promoter, and ~~(2) (a)~~
 - d) (i) 2,2'-dimorpholinodiethyl ether and/or di(2,6-dimethylmorpholinoethyl)ether[,] and ~~(b)~~
(ii) at least one tin-based catalyst selected from the group consisting of dibutyltin diacetylacetonate, dibutyltin dilaurate, dibutyltin diacetate, dibutyltin dimaleate, dioctyltin dilaurate, and tin octanoate, as curing catalysts.

Claims 2 and 3 (canceled).

- 4 (currently amended): The moisture-curing one-pack urethane adhesive composition according to claim ~~2~~ 1 in which the hexamethylene diisocyanate derivative is present in an amount of 0.5 to 10% by weight, based on the adhesive composition as a whole.
- 5 (previously presented): The moisture-curing one-pack urethane adhesive composition according to claim 1 in which the adhesive promoter is a silane coupling agent and the silane coupling agent is at least one compound selected from the group consisting of mercaptopropyltrimethoxysilane, mercaptopropylmethyl-dimethoxysilane, γ -N-phenylaminopropyltrimethoxysilane and γ -isocyanatopropyltrimethoxysilane.
- 6 (previously presented): The moisture-curing one-pack urethane adhesive composition according to claim 1 in which the adhesive promoter is a reaction product of a silane coupling agent with a hexamethylene diisocyanate derivative.
- 7 (previously presented): The moisture-curing one-pack urethane adhesive composition according to claim 1 in which the adhesive promoter is present in an amount of 0.1 to 5% by weight, the 2,2'-dimorpholinodiethyl ether and/or di(2,6-dimethyl-morpholinoethyl)ether is present in an amount of 0.05 to 2.0% by weight, and the tin-based catalyst is present in an amount of 0.0001 to 0.5% by weight, all the amounts being based on the adhesive composition as a whole.